
ITEM#	QTY	PART#	PART TITLE
-1	1	RBW6700G05031-6F-1	T/R CENTERING DEVICE (MIN)
-2	2	RBW6700G05031-6F-2	PIN
3	3	McMaster#90177A213 OR EQUIV	ZINC PLATED STEEL SPLIT RING 9/16" OD x 7/16" ID. x 1/16" THK
4	6	McMaster#3896T31 OR EQUIV.	ALUMINUM WIRE ROPE COMPRESSION SLEEVE 1/16" DIA. X 3/8" LG.
6	AR	CARR LANE#CL-2-C	STEEL NYLON COATED 1/16" DIA, LANYARD

NAS1756-12



REMOVE BEFORE FLIGHT FLAG

19-676 **NEW ISSUE** REV. DESCRIPTION DART AEROSPACE LTD

DESIGN VM DRAWN VM TOOL PART # CHECKED **KPT** MFG. APPR. **APPROVED**

TITLE

REV. A RBW6700G05031-6F SHEET 1 OF 3 **SCALE**

T/R CENTERING DEVICE (MIN) ASSY NTS COPYRIGHT © 2019 BY DART AEROSPACE LTD

6) IDENTIFICATION: N/A 7) ASSEMBLE AS SHOWN 8) ASSEMBLED LANYARD LENGTH MUST BE 6" +/- 1", LANYARD MUST MOVE FREELY WHEN INSTALLING/REMOVING ITEM -2 9) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

X.XXXX = +/- 0.0005" / +/- 0.05°

X.XXXX = +/- 0.0005" / +/- 0.05°

PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"

5) UNITS: INCHES UNLESS OTHERWISE NOTED

DATE 4/2/2019

3

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

HAWKESBURY, ONTARIO, CANADA

3) FINISH: N/A

4) TOLERANCES: X.X = +/- 0.1" / +/- 1° X.XX = +/- 0.01" / +/- 0.5°

X.XXX = +/-0.005" / +/-0.1°

3

2

